

Leukoscan

Nuclear Imaging Department Radiology

Introduction

This leaflet tells you about having a leukoscan. It explains what is involved and what the possible risks are. It is not meant to replace informed discussion between you and your doctor.

What is Nuclear Imaging?

Nuclear imaging is a way of imaging different parts of the body using a small amount of radioactive isotope attached to different chemicals. These radioactive isotopes give off gamma rays which are similar to X-rays.

A gamma camera is used to detect these rays and produce an image on the computer. Unlike ordinary X-rays nuclear imaging can be used to show how well an organ is working as well as what it looks like.

The radioactive isotope is normally given as an injection into a vein but can be inhaled or swallowed depending upon the test.

What is a Leukoscan?

A leukoscan uses a type of dye that will collect in any area of your body where infection is present and usually follows up a bone scan to help diagnose infection of the bone.

The liquid radioactive isotope used in this test has to be given as an injection into your arm or hand, which is then absorbed by any infection over a period of 4 hours, after which time the images will be taken.

After your injection you will be given a time for your images to be taken. If you are an outpatient you may leave the hospital until this time if you wish, however, there is a waiting area for you to use should you want to stay and use the on-site shops/cafe.

If you stay in the department you should use the specific toilet for nuclear imaging patients but if you leave the department you may use any one.

Is there any preparation?

No, you can eat, drink and take any medication as normal. After the injection you will need to drink more than usual, about 2 litres over the rest of the day and will probably need to empty your bladder more frequently.

The prevention of infection is a major priority in all healthcare and everyone has a part to play.

- Please decontaminate your hands frequently for 20 seconds using soap and water or alcohol gel if available
- If you have symptoms of diarrhoea and/or vomiting, cough or other respiratory symptoms, a temperature
 or any loss of taste or smell please do not visit the hospital or any other care facility and seek advice
 from 111
- Keep the environment clean and tidy
- Let's work together to keep infections out of our hospitals and care homes.

Review Date 08/04/2027 Date Produced 2013 MI_695012_30.06.23_V_4

Can I bring a relative / friend?

Yes, but they should be over 18 and not pregnant.

Children under 16 years attending for a scan should be accompanied by a parent or guardian.

What if I am pregnant or breastfeeding?

If you are pregnant or think you may be pregnant you should inform the department before attending for your scan. Also certain radioactive substances are excreted in breast milk. If you are breastfeeding you should tell us prior to coming for your scan, so we can advise you of any special precautions.

What happens during the scan?

You do not have to undress for the scan but will be asked to remove metal objects such as keys or coins from your pockets and to take off any jewellery.

The scan is taken with you lying on an examination couch while our camera is positioned over the area where you are experiencing problems e.g. Knees or Hips. A series of images will then be taken.

Each image will last about 5 minutes and there can be up to 5 images depending on the area being viewed.

How long will it take?

Please allow 15-20 minutes for the Injection of the radioactive isotope.

On your return the images will take approximately 20 minutes.

What are the risks?

Most things that we do in life or in medicine have a small risk and we want you to understand any risks involved. Please remember that we would not recommend this test if we did not think that the risks were outweighed by the potential benefits.

Radiation

The radioactive injection exposes you to gamma rays which are a form of radiation similar to X-rays. We use as little radiation as possible – the amount used is similar to that in many other X-ray or nuclear medicine scans and is the same as approximately 2 years' worth of the natural background radiation to which we are all exposed.

As a precaution we ask that you avoid prolonged close contact (over an hour at less than one metre) with any children or pregnant women, following your injection and for the rest of the day. This is to avoid them being exposed to unnecessary radiation.

If you have had this test previously, please contact the department when you receive this appointment as we may have to arrange a blood test prior to the scan.

Are there any side effects?

The injection does not cause any side effects nor will it make you sleepy. You will still be able to drive and carry on with any normal activities.

When do I get the results?

We cannot give you the results of the scan on the day you attend.

The scan will be reviewed and a written report sent to the consultant / GP who referred you. Your consultant will then arrange a follow up appointment to discuss the results of your scan.

What should I do if I have a query about my appointment?

If you have any queries about your scan or wish to alter the appointment please contact the department on:

01902 307999 ext. 86347

Monday - Friday between 9:00am - 4:00pm

If you need an interpreter, please let us know when you receive your appointment and we will arrange one for you.

Please note that in view of patient confidentiality, we are unable to discuss any details concerning this appointment with anyone other than you.

Where can I get further information?

Websites:

For general information about radionuclide tests, visit The British Nuclear Medicine Society website: www.bnms.org.uk

If you wish to know more about the radiation used in medical examinations information can be found on the Public Health England website: www.gov.uk/government/organisations/public-health-england

Radiology Department

The Nuclear Imaging department is on the 2nd floor of the Radiology Department.

The Radiology Department is situated close to Greggs.

A site map can be found on the reverse of your appointment letter.

Transport Information

Zone A: A2 Radiology Department

The nearest car parks are P5 & P6. Please allow time to park as our car parking areas may be busy. Car-parking is "pay as you leave". There are designated spaces for disabled.

Public transport:

Details of the buses serving to the hospital are on our website: www.royalwolverhamptonhospitals.nhs.uk

English

If you need information in another way like easy read or a different language please let us know.

If you need an interpreter or assistance please let us know.

Lithuanian

Jeigu norėtumėte, kad informacija jums būtų pateikta kitu būdu, pavyzdžiui, supaprastinta forma ar kita kalba, prašome mums apie tai pranešti.

Jeigu jums reikia vertėjo ar kitos pagalbos, prašome mums apie tai pranešti.

Polish

Jeżeli chcieliby Państwo otrzymać te informacje w innej postaci, na przykład w wersji łatwej do czytania lub w innym języku, prosimy powiedzieć nam o tym.

Prosimy poinformować nas również, jeżeli potrzebowaliby Państwo usługi tłumaczenia ustnego lub innej pomocy.

Punjabi

ਜੇ ਤੁਹਾਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਹੋਰ ਰੂਪ ਵਿਚ, ਜਿਵੇਂ ਪੜ੍ਹਨ ਵਿਚ ਆਸਾਨ ਰੂਪ ਜਾਂ ਕਿਸੇ ਦੂਜੀ ਭਾਸ਼ਾ ਵਿਚ, ਚਾਹੀਦੀ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਸਾਨੂੰ ਦੱਸੋ।

ਜੇ ਤੁਹਾਨੂੰ ਦੁਭਾਸ਼ੀਏ ਦੀ ਜਾਂ ਸਹਾਇਤਾ ਦੀ ਲੋੜ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਸਾਨੂੰ ਦੱਸੋ।

Romanian

Dacă aveți nevoie de informații în alt format, ca de exemplu caractere ușor de citit sau altă limbă, vă rugăm să ne informați.

Dacă aveți nevoie de un interpret sau de asistență, vă rugăm să ne informați.

Traditional Chinese

如果您需要以其他方式了解信息,如易读或其他语种,请告诉我们。 如果您需要口译人员或帮助,请告诉我们。